

ELEV 2153

MOUNT COOK


NZMC

CERTIFICATED

AERODROME

CHRISTCHURCH INFORMATION: 123.5

ALPS TRAFFIC/UNATTENDED: 118.6



Changes from 4 APR 13: PLA P912 established.

1. Turns: Left hand base for landing
 Right hand after take-off
2. VFR operations within Southern Alps MBZ are subject to special procedures. Refer to ENR 1.16 VFR Procedures, Mount Cook/Westland.

S 43 45 54 E 170 08 00

Effective: 30 MAY 13

© Civil Aviation Authority

MOUNT COOK
AERODROME

NZMC

RWY

RWY	SFC	Strength	Gp	Slope	ASDA	Take-off distance			LDG DIST
						1:20	1:30	1:62.5	
13 31	B	PCN 10 F/B/Y/U	8	1.4D 1.4U	1517 1528	1632 1637		1632 1637	1473

MINIMA

VFR		
	Day	Night
All aircraft	1500 - 8	NA

LIGHTING

Nil

FACILITIES

Passenger

SUPPLEMENTARY

Operator: Aoraki Mount Cook Airport Ltd
Hermitage Hotel, Mount Cook
Tel (03) 435 1809, Fax (03) 435 1879

Available for use only with prior permission of owner Aoraki Mount Cook Airport Ltd,
The Hermitage, Private Bag, Mount Cook. Tel (03) 435 1809 (ask for Duty Manager),
Fax (03) 435 1879.

ELEV 2153

NZMC

CHRISTCHURCH INFORMATION: 123.5

MOUNT COOK**DEPARTURE**

ALPS TRAFFIC/UNATTENDED: 118.6

Standard Route Clearances

For flights departing Mount Cook Airport:

ADES	Designator	Route
CH	MCCH 3	MAMUS Y735 DOPKI Y153
QN	MCQN 1	MAMUS Y886 ELRUV Y266
RO	MCRO 1	MAMUS Q787 NS H438 TM H247

- D** The designator will be used in a route clearance to indicate the route that is to be flown. A full route clearance will be issued to flights for destinations and/or routes not covered by these standard route clearances.

